

ETC® Setup Guide


Congo™ jr Master Playback Wing Installation




To connect the Master Playback Wing to the Congo jr control console, making them one unit, follow the instructions outlined in the [“Connect Master Playback Wing to the Congo jr Console”](#) section. To remotely connect the Master Playback Wing to the Congo jr console, utilizing the USB cable between the two products for data communication, see [“Connect the Master Playback Wing Independent of the Congo jr Console”](#) on page 3. To operate the Congo jr Console without a wing see [“Connect Cables to the Congo jr Console”](#) on page 3.

Connect Master Playback Wing to the Congo jr Console

Determine which side the wing will attach before you begin this installation procedure.



- Step 1: For permanent installation it is recommended that you disconnect all power and cables from the rear of the console for better mobility when securing the two products together in step 6.
- Step 2: Remove the two screws securing the bumper that will be removed from the console.
- a: Extend the console over the edge of your surface, approximately two to three inches, and remove the front screw.
 - b: Rotate the console 180°. Extend the rear of the console over the edge of your surface, approximately two inches, and remove the rear screw.



Corporate Headquarters ■ 3031 Pleasant View Road, P.O. Box 620979, Middleton, Wisconsin 53562-0979 USA ■ Tel +608 831 4116 ■ Fax +608 836 1736
London, UK ■ Unit 26-28, Victoria Industrial Estate, Victoria Road, London W3 6UU, UK ■ Tel +44 (0)20 8896 1000 ■ Fax +44 (0)20 8896 2000
Rome, IT ■ Via Ennio Quirino Visconti, 11, 00193 Rome, Italy ■ Tel +39 (06) 32 111 683 ■ Fax +39 (06) 32 656 990
Holzkirchen, DE ■ Ohmstrasse 3, 83607 Holzkirchen, Germany ■ Tel +49 (80 24) 47 00-0 ■ Fax +49 (80 24) 47 00-3 00
Hong Kong ■ Room 1801, 18/F, Tower 1 Phase 1, Enterprise Square, 9 Sheung Yuet Road, Kowloon Bay, Kowloon, Hong Kong ■ Tel +852 2799 1220 ■ Fax +852 2799 9325
Service: (Americas) service@etcconnect.com ■ (UK) service@etcconnect.com ■ (DE) techserv-hoki@etcconnect.com ■ (Asia) service@etcasia.com
Web: www.etcconnect.com ■ Copyright © 2006 ETC. All Rights Reserved. ■ Product information and specifications subject to change.
④ 4320M2210 ■ Rev B ■ Released 09/2006

ETC Setup Guide

Congo™ jr Master Playback Wing Setup Guide




CAUTION: Do not set the console on the connector side (rear panel).

- Step 3: Remove the bumper from the console.
- Gently pull the bumper up on the left side until it is flush with the facepanel. Push the bumper down on the right side until it loosens from the facepanel.
 - Then pull the bumper away from the facepanel until it is free from the console.
- Step 4: Repeat steps 2 and 3 for the Master Playback Wing, removing only the bumper from the side that will attach to the console.
- Step 5: Install the Master Playback Wing to the console.


Install the Master Playback Wing to the left of the console:

- Align the console to the wing. Pick up the left end of the console and set it on the hooks provided on the wing. Check that the two products are aligned properly, then press down gently on the console until it is fully seated. This should be a smooth connection and does not require force.



Install the Master Playback Wing to the right of the console:

- Align the wing to the console. Pick up the left end of the wing and set it on the hooks provided on the console. Check that the two products are aligned properly, then press down gently on the wing until it is fully seated. This should be a smooth connection and does not require force.



- Step 6: For permanent installation it is recommended that you re-install the two screws previously removed from this connection to secure these two products together.




CAUTION: Do not set the console on the connector side (rear panel).

ETC Setup Guide


Congo™ jr Master Playback Wing Setup Guide

Connect the Master Playback Wing Independent of the Congo jr Console



- Step 1: Using the power supply adaptor kit (PS313-F) provided, connect power to the wing.
- Step 2: Using the USB to USB slave cable provided, connect between the Congo jr console and the wing.

Connect Cables to the Congo jr Console



- Step 1: Connect all cables to the appropriate receptacles on the rear of the console.